

**POSTER PRESENTATION**

**Open Access**

# HLA-G-specific microRNAs a novel approach for targeting tumors

Simon Jasinski-Bergner<sup>1</sup>, Arndt Hartmann<sup>2</sup>, Verena Spath<sup>2</sup>, Stefan Huettelmaier<sup>3</sup>, Juliane Braun<sup>3</sup>, Juergen Bukur<sup>1</sup>, Barbara Seliger<sup>1\*</sup>

From Society for Immunotherapy of Cancer 28th Annual Meeting  
National Harbor, MD, USA. 8-10 November 2013

Immune inhibitory molecules on immune cells as well as on tumor cells appear to play a key role in modulating the immunogenicity of tumors and the efficacy of immunotherapies. One mediator is represented by the non-classical HLA-G antigen, which is often overexpressed in human tumors when compared to corresponding normal tissues thereby inhibiting both innate as well as adaptive immune responses. Since discordant HLA-G transcript and protein expression levels were often found in tumors of distinct origin posttranscriptional control mechanisms have been recently suggested. Indeed, different HLA-G-specific miRs have been identified, which were able to downregulate HLA-G surface expression. The miR-mediated inhibition of HLA-G enhanced the NK cell recognition. These miRs were also differentially expressed in renal cell carcinoma (RCC) versus normal kidney epithelium. Immunohistochemical analysis demonstrated a high frequency HLA-G expression in RCC lesions, which was associated with disease progression and inversely correlated with the expression of HLA-G-specific miRs. These data postulate that HLA-G-specific miRs might be used as prognostic markers as well as potential therapeutics for targeting HLA-G expressing RCC.

#### Authors' details

<sup>1</sup>Martin Luther University Halle-Wittenberg, Institute of Medical Immunology, Halle, Germany. <sup>2</sup>University of Erlangen, Institute of Pathology, Erlangen, Germany. <sup>3</sup>Martin Luther University Halle-Wittenberg, Institute of Molecular Medicine, Halle, Germany.

<sup>1</sup>Martin Luther University Halle-Wittenberg, Institute of Medical Immunology, Halle, Germany  
Full list of author information is available at the end of the article

Published: 7 November 2013

doi:10.1186/2051-1426-1-S1-P174

**Cite this article as:** Jasinski-Bergner *et al.*: HLA-G-specific microRNAs a novel approach for targeting tumors. *Journal for ImmunoTherapy of Cancer* 2013 **1**(Suppl 1):P174.

**Submit your next manuscript to BioMed Central  
and take full advantage of:**

- Convenient online submission
- Thorough peer review
- No space constraints or color figure charges
- Immediate publication on acceptance
- Inclusion in PubMed, CAS, Scopus and Google Scholar
- Research which is freely available for redistribution

Submit your manuscript at  
[www.biomedcentral.com/submit](http://www.biomedcentral.com/submit)

