

POSTER PRESENTATION

Open Access

# Generation and utilization of polyfunctional anti-tumor CD4+ T cells

Gang Zhou\*, Zhi-Chun Ding

From 30th Annual Meeting and Associated Programs of the Society for Immunotherapy of Cancer (SITC 2015) National Harbor, MD, USA. 4-8 November 2015

## Background

There is accumulating evidence that polyfunctional T cells, effector T cells capable of simultaneously producing multiple pro-inflammatory cytokines, are more efficacious in controlling infection and cancer. However, how polyfunctional CD4+ effector cells are induced is not mechanistically understood.

## Results

In this study we established that IL7 can promote the acquisition of polyfunctionality in naïve CD4+ T cells upon antigenic stimulation *in vitro*. In particular, IL7-conditioned polyfunctional CD4+ T cells can concomitantly express IFN- $\gamma$ , TNF- $\alpha$ , IL-2 and granzyme B, with a separate IL4-producing population. We demonstrated that IL7 signaling resulted in increased histone acetylation in the promoters of effector molecules including IFN- $\gamma$ , TNF- $\alpha$ , IL-2 and granzyme B, but not in Foxp3 and PD1, suggesting a selective enhancement in chromatin accessibility.

Mechanistically, STAT5 is required for IL7-driven polyfunctionality as expression of constitutive active STAT5 mutant in CD4+ T cells conferred polyfunctionality to CD4+ T cells even in the absence of IL7, whereas expression of dominant negative STAT5 mutant abolished IL7-driven polyfunctionality. Surprisingly, fully armed polyfunctional CD4+ T cells did not exhibit potent anti-tumor effect when adoptively transferred into mice with established B cell lymphoma, suggesting the dominance of immune suppression in the tumor microenvironment. Durable curative anti-tumor effect can be achieved by providing TriVax, a vaccine consisting of peptide, poly-IC adjuvant and OX40 antibody, following polyfunctional CD4+ T cell transfer.

## Conclusions

Our results provide novel insights into the generation of polyfunctional CD4+ effector cells and their potential usage in cancer immunotherapy.

Published: 4 November 2015

doi:10.1186/2051-1426-3-S2-P63

Cite this article as: Zhou and Ding: Generation and utilization of polyfunctional anti-tumor CD4+ T cells. *Journal for ImmunoTherapy of Cancer* 2015 **3**(Suppl 2):P63.

Submit your next manuscript to BioMed Central and take full advantage of:

- Convenient online submission
- Thorough peer review
- No space constraints or color figure charges
- Immediate publication on acceptance
- Inclusion in PubMed, CAS, Scopus and Google Scholar
- Research which is freely available for redistribution

Submit your manuscript at  
[www.biomedcentral.com/submit](http://www.biomedcentral.com/submit)



Georgia Regents University, Augusta, GA, USA



© 2015 Zhou and Ding This is an Open Access article distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited. The Creative Commons Public Domain Dedication waiver (<http://creativecommons.org/publicdomain/zero/1.0/>) applies to the data made available in this article, unless otherwise stated.