

POSTER PRESENTATION

Open Access

Turning tumor inhibition into activation: engineering T cells with chimeric signaling receptors

Ramona Schlenker^{1*}, Matthias Leisegang², Wolfgang Uckert^{2,3}, Elfriede Noessner¹

From Society for Immunotherapy of Cancer 29th Annual Meeting National Harbor, MD, USA. 6-9 November 2014

Poor in vivo persistence and loss of function of adoptively transferred T cells in the tumor milieu are known shortcomings of adoptive T cell therapy (ATT). Providing costimulation might help to improve ATT efficiency. However, human CD8 T effector cells are largely CD28 negative and most tumors do not express CD80 or CD86, thus costimulation cannot be provided via CD28 ligation. We propose to facilitate costimulation of CD8 T effector cells in the tumor milieu through engineering of T cells with a chimeric signaling receptor, which can turn tumor mediated inhibition into activation by abrogating inhibitory PD1 signaling with concomitant activation of the costimulatory pathway. Human T cells engineered to express melanoma specific T cell receptors (TCR) plus the chimeric signaling molecule showed higher ERK phosphorylation associated with stronger IL-2 and IFN-γ secretion upon co-culture with PD-L1 positive target cells. T cells expressing a low avidity TCR achieved functional responses comparable to high avidity TCRs when engineered with the chimeric receptor. The chimeric receptor did not only increase cytokine secretion *in vitro*, but importantly, also supported intra-tumoral proliferation of T cells in a humanized mouse melanoma model.

doi:10.1186/2051-1426-2-S3-P248

Cite this article as: Schlenker *et al.*: Turning tumor inhibition into activation: engineering T cells with chimeric signaling receptors. *Journal for ImmunoTherapy of Cancer* 2014 **2**(Suppl 3):P248.

Authors' details

¹Institute of Molecular Immunology, Helmholtz Center Munich, German Research Center for Environmental Health, Munich, Germany. ²Max Delbrück Center for Molecular Medicine, Helmholtz Association, Berlin, Germany. ³Institute of Biology, Humboldt-University, Berlin, Germany.

Published: 6 November 2014

Submit your next manuscript to BioMed Central and take full advantage of:

- Convenient online submission
- Thorough peer review
- No space constraints or color figure charges
- Immediate publication on acceptance
- Inclusion in PubMed, CAS, Scopus and Google Scholar
- Research which is freely available for redistribution

Submit your manuscript at www.biomedcentral.com/submit



¹Institute of Molecular Immunology, Helmholtz Center Munich, German Research Center for Environmental Health, Munich, Germany Full list of author information is available at the end of the article

