

POSTER PRESENTATION

Open Access

Pre-treatment patient selection for nivolumab benefit based on serum mass spectra

Jeffrey Weber¹, Alberto J Martinez¹, Heinrich Roder², Joanna Roder^{2*}, Krista Meyer², Senait Asmellash², Julia Grigorieva², Maxim Tsypin², Carlos Oliveira², Arni Steingrimsson², Kevin Sayers², Antonella Bacchiocchi³, Mario Sznol⁴, Ruth Halaban³, Harriet Kluger⁴

From 30th Annual Meeting and Associated Programs of the Society for Immunotherapy of Cancer (SITC 2015)

National Harbor, MD, USA. 4-8 November 2015

Introduction

The durability of anti-tumor responses observed in patients treated with antibodies blocking PD-1 has provided a central role for these drugs in melanoma therapeutics. Identifying predictive biomarkers to aid therapeutic decision making is critical for realizing the full potential of these immunotherapies. We report on the development of a pre-treatment serum test to separate melanoma patients into two groups with significantly different outcomes following nivolumab therapy.

Methods

Pre-treatment serum samples were available from 119 patients in the NCT01176461 study ("SET1") and 30 patients from an observational study ("SET2") at two institutions. All patients had advanced un-resectable melanoma and received nivolumab.

Mass spectra were collected from all samples using the "deep MALDI" approach [1]. We identified 351 mass spectral peaks for use in classifier construction. SET1 was split into a development (DEV) (N=60) and an internal validation (VAL) (N=59) set. Deep learning methods were used to construct a classifier correlating with time-to-event data in a fashion similar to Roder et al [2] using only the DEV set. This classifier was validated on the VAL set and a test was constructed using the same procedure with the whole SET1 and performance evaluated on the independent SET2.

Results

The test separated the populations into two groups, "Early"/"Late", with worse/better outcome on nivolumab

treatment. The hazard ratios (HRs) between Early and Late groups are presented in Table 1. Test classification groups did not show any association with available PD-L1 expression data and remained significant in multivariate analysis.

Conclusions

We have constructed a test to identify melanoma patients most likely to have improved survival on nivolumab therapy. The test validated in an independent sample set with HR~0.3 and appears to be independent of PD-L1 expression. Some proteins used in the test are related to acute Phase reactions and the complement system. While further validation and protein identification studies are needed, this test may become a clinically useful predictive biomarker for nivolumab therapy.

This research was supported in part by the Yale SPORE in Skin Cancer, funded by the NCI, NIH, under award number 1 P50 CA121974 (R.H.)

Authors' details

¹H. Lee Moffitt Cancer Center, Tampa, FL, USA. ²Biodesix Inc., Boulder, CO, USA. ³Yale University School of Medicine, New Haven, CT, USA. ⁴Department of Medical Oncology, Yale Cancer Center, New Haven, CT, USA.

Table 1

Set	HR(TTP)	Log-rank p-value	HR(OS)	Log-rank p-value
DEV	0.48	0.020	0.026	0.005
VAL	0.43	0.013	0.48	0.012
Full SET1	0.50	0.001	0.38	< 0.001
SET2	n/a	n/a	0.26	0.002

²Biodesix Inc., Boulder, CO, USA Full list of author information is available at the end of the article



Published: 4 November 2015

References

- Duncan M: Proceedings of the 61st ASMS Conference on Mass Spectrometry and Allied Topics; June 8-9. Minneapolis (MN); 2013, MP 181.
- Roder J, et al: Proceedings of the Annual Meeting of the AACR; Apr 1-5. Philadelphia (PA); 2015, 5304.

doi:10.1186/2051-1426-3-S2-P103

Cite this article as: Weber *et al.*: Pre-treatment patient selection for nivolumab benefit based on serum mass spectra. *Journal for ImmunoTherapy of Cancer* 2015 **3**(Suppl 2):P103.

Submit your next manuscript to BioMed Central and take full advantage of:

- Convenient online submission
- Thorough peer review
- No space constraints or color figure charges
- Immediate publication on acceptance
- Inclusion in PubMed, CAS, Scopus and Google Scholar
- Research which is freely available for redistribution

Submit your manuscript at www.biomedcentral.com/submit

